

**THIS PAGE IS INSERTED BY OIPE SCANNING  
AND IS NOT PART OF THE OFFICIAL RECORD**

### **Best Available Images**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

**BLACK BORDERS**

**TEXT CUT OFF AT TOP, BOTTOM OR SIDES**

**FADED TEXT**

**BLURRY OR ILLEGIBLE TEXT**

**SKEWED/SLANTED IMAGES**

**COLORED PHOTOS HAVE BEEN RENDERED INTO BLACK AND WHITE**

**VERY DARK BLACK AND WHITE PHOTOS**

**UNDECIPHERABLE GRAY SCALE DOCUMENTS**

**IMAGES ARE THE BEST AVAILABLE  
COPY. AS RESCANNING *WILL NOT*  
CORRECT IMAGES, PLEASE DO NOT  
REPORT THE IMAGES TO THE  
PROBLEM IMAGE BOX.**




FIG. 1




FIG. 2




FIG. 3

# The LEPARS principle




FIG. 4

14 ↗

# The morphology changes of the RV EGM;





FIG. 5

FIG. 6

Right ventricular pacing



Left ventricular pacing








FIG. 8

Effect of fusion on the increase in  $dP/dt_{max}$   
during LV pacing at  $AV_{75}$






**FIG. 9A**

9012

# Biventricular vs. left ventricular pacing (N=35)



Differentiation between fusion and no fusion in AV<sub>75</sub>

FIG. 9B




FIG. 10




FIG. 11




FIG. 12